

South Davis Metro Fire Agency

Proudly Serving the Communities of

Bountiful - Centerville - Davis County - North Salt Lake - West Bountiful - Woods Cross

Fire Prevention Division

Dear Business Owner:

We are committed to the safety and success of your business. As such, a Fire and Life Safety Inspection may be performed on your business prior to your initial operation and routinely thereafter. We have attached a copy of our inspection form to assist with your preparation for this inspection.

In addition to a Fire and Life safety Inspection, *Permitted Operations* will require a special inspection with an associated annual fee (see South Davis Metro Permit Declaration form for types and/or amounts). The following are *Permitted Operations*:

<i>Daycare</i>	\$30.00	
<i>Group Home</i>	\$50.00	
<i>Healthcare Facility</i>	\$200.00	
<i>Firework Sales (Outdoor)</i>	\$300.00	
<i>Fireworks Sales (Indoor)</i>	\$150.00	
<i>Hazardous Materials Permits</i>	\$150.00 - \$500.00	
<i>Storage</i>		\$200.00
<i>Dispensing</i>		\$300.00
<i>Production:</i>		\$450.00
<i>Blasting?Explosives:</i>		\$500.00
<i>Motor Vehicle Fuel Dispensing Public Access:</i>		\$150.00
<i>Maximum per Business:</i>		\$500.00

Please submit your Permit Declaration Form with your business licensure packet; licensure may be withheld pending submission of this form. For additional information on our *Fire and Life Safety Inspection* and *Permitted Operations*, please go to www.sdmetrofire.org, or call 801-677-2400.

Best Regards,

Casey T. Vorwaller
Fire Marshal



South Davis Metro Fire

Fire and Life Safety Inspection Report



Viol.	Explanation
1	Fire lanes shall be free of all obstructions for a clear width of 20 feet around the building (IFC 503)
2	Building addresses must be visible from the street with a contrasting background (IFC 505)
3	Where key boxes are provided they must contain updated keys and codes (IFC 506)
4	Pathways for exits must be cleared of all obstructions (IFC 1031.2); including snow and ice (IFC 1031.3)
5	All exit doors must be able to be used without any special knowledge or tools (IFC 1010.1.9)
6	Appropriate signs must be posted adjacent to doors with deadbolt hardware, "THIS DOOR TO REMAIN UNLOCKED WHEN THIS SPACE IS OCCUPIED" (IFC 1010.1.9.3)
7	Exit hardware on doors must be in working order (IFC 1031.2)
8	Doors that are part of a fire barrier may not be held open except when the mechanism is part of an automatic fire detection system (IFC 703.2)
9	Attics, crawl spaces, under stairs and concealed spaces may not be used for storage unless they are built with fire-resistive construction with self-closing hardware or have automatic sprinklers installed (IFC 315.3.4)
10	Doors with panic hardware may not be locked with locks or latches (IFC 1010.1.10)
11	Exit signs must remain illuminated and visible at all times (IFC 1013). Emergency illumination devices must be in working order (IFC 1008)
12	Fire extinguishers must be serviced annually (IFC 906)
13	Fire extinguishes must be mounted and visible (IFC 906)
14	Fire extinguishers may not be blocked from view or access (IFC 906)
15	The location of fire extinguishers must be identified by obvious signage (IFC 906)
16	Maintain fire sprinkler system components (NFPA 13)
17	Automatic sprinkler heads and FDC caps must be in good repair and may only be painted by the manufacturer (IFC 912, NFPA 13)
18	All valves must be locked or constantly monitored to ensure that the valve is in the open position (IFC 903.4)
19	Sprinkler and standpipe systems must be inspected at least once a year (IFC 901.6)
20	Sprinkler systems must provide coverage to all areas unless special exceptions are allowed (IFC 903.3)
21	Spare sprinkler heads and a sprinkler wrench must be provided at all times (NFPA 13 6.2.9)
22	Hood and duct systems must be serviced at least once every six months (IFC 609.3.3)
23	Hoods, ducts and filters must be keep clean and free of grease (IFC 609)
24	Fire alarm systems must be inspected at least once a year and must be in working order (IFC 907.8)
25	Fire resistive construction must not have gaps where fire or smoke may cross the fire barrier (IFC 703)
26	Fire rated assemblies must be fully functional at all times (IFC 703)
27	Extension cords may only be used for temporary purposes and should be unplugged at the outlet when not in use (IFC 605.5) Grounded or polarized power taps are acceptable (IFC 605.4)
28	Stationary and fixed appliances must be connected to permanent wiring (IFC 605.7)
29 / 30	Open junction boxes and open-wiring splices shall be prohibited. Approved covers shall be provided for all switch and electrical outlet boxes. (IFC 605.6)
31	Exposed wiring is not allowed. All wiring must be in an approved conduit (NEC 334)
32	A working space of not less than 30" wide x 36" deep x 72" high shall be provided in front of electrical service equipment; if equipment is more than 30" wide, workspace to be the width of the equipment. (IFC 605.3)
33	Doors into electrical control panel rooms shall be marked with a plainly visible and legible sign stating ELECTRICAL ROOM (IFC 605.3.1)
34	Approved covers shall be provided for electrical boxes (IFC 605.6)
35	Quantities of flammable and combustible liquids in excess of 10 gallons shall be stored in liquid storage cabinets (IFC 5704.3.4.4)
36	Fueled equipment (including portable generators, portable cooking equipment, lawn-care equipment and motorcycles) shall not be stored, operated or repaired within a building (IFC 313)
37	Compressed gas containers, cylinders, tanks and systems shall be marked. (IFC 5303.4); shall be secured against accidental dislodgment and access by unauthorized personnel. (IFC 5303.5)
38	Storage shall be orderly and stacks shall be stable (IFC 315.3)
39	Combustible storage shall not be stored in boiler rooms, mechanical rooms, electrical rooms, exits or stair enclosures (IFC 315.2, 3)
40	Storage shall be maintained 2 feet or more below the ceiling in non-sprinklered areas, or at least 18 inches below sprinkler head deflectors (IFC 315.3.1)
41	Materials susceptible to spontaneous ignition, such as oily rags, shall be stored in a listed disposable container (IFC 304.3.1)
42	Rubbish and waste must not be allowed to accumulate in buildings or structures or upon premises (IFC 304.1)
43	Dumpsters shall not be stored in buildings or placed within 5 feet of buildings or roof eave lines (IFC 304.3)
44	Storage of combustible materials shall be separated from heaters or heating devices by distance or shielding so that ignition cannot occur (IFC 315.3)



SOUTH DAVIS METRO PERMIT DECLARATION



A permit is required to maintain, store, use or handle materials, or to conduct processes which produce conditions hazardous to life or property. The issuance of a permit shall not be construed as authority to violate, cancel or set aside any of the provision of the fire code. Such permit shall not take the place of any license required by law.

Business/Agency: _____ Contact Name: _____

Business Address: _____ City: _____

Business Phone: _____ Emergency Phone: _____

The items listed below, **Do** ; **Do Not** apply to the business listed on this form.

Daycare Group Home

Healthcare Facility

Explosives/Blasting

Fireworks Sales (Outdoor)

Fireworks Sales (Indoor)

Motor Vehicle Fuel Dispensing

Hazardous Material	Gases	Liquids	Solids
Corrosives	200 cub/ ft <input type="checkbox"/>	55 Gallons <input type="checkbox"/>	1,000 pounds <input type="checkbox"/>
Flammables	200 cub/ ft <input type="checkbox"/>	25 gallons <input type="checkbox"/>	100 pounds <input type="checkbox"/>
Highly Toxic	Any Amount <input type="checkbox"/>	Any Amount <input type="checkbox"/>	Any Amount <input type="checkbox"/>
Oxidizers	504 cub/ ft <input type="checkbox"/>	Class 4 – Any Amount <input type="checkbox"/>	Class 4 – Any Amount <input type="checkbox"/>
		Class 3 – 1 Gallon <input type="checkbox"/>	Class 3 – 10 pounds <input type="checkbox"/>
		Class 2 – 10 Gallons <input type="checkbox"/>	Class 2 – 100 pounds <input type="checkbox"/>
		Class 1 – 55 Gallons <input type="checkbox"/>	Class 1 – 500 pounds <input type="checkbox"/>
Organic Peroxides		Class I – Any Amount <input type="checkbox"/>	Class I – Any Amount <input type="checkbox"/>
		Class II – Any Amount <input type="checkbox"/>	Class II – Any Amount <input type="checkbox"/>
		Class III – 1 gallon <input type="checkbox"/>	Class III – 10 pounds <input type="checkbox"/>
		Class IV – 2 gallon <input type="checkbox"/>	Class IV – 20 pounds <input type="checkbox"/>
		Class V – No Permit <input type="checkbox"/>	Class V – No Permit <input type="checkbox"/>
Pyrophoric	Any Amount <input type="checkbox"/>	Any Amount <input type="checkbox"/>	Any Amount <input type="checkbox"/>
Toxics	Any Amount <input type="checkbox"/>	10 gallons <input type="checkbox"/>	100 pounds <input type="checkbox"/>
Unstable Materials		Class 4 – Any Amount <input type="checkbox"/>	Class 4 – Any Amount <input type="checkbox"/>
		Class 3 – Any Amount <input type="checkbox"/>	Class 3 – Any Amount <input type="checkbox"/>
		Class 2 – 5 Gallons <input type="checkbox"/>	Class 2 – 50 pounds <input type="checkbox"/>
		Class 1 – 10 Gallons <input type="checkbox"/>	Class 1 – 100 pounds <input type="checkbox"/>
Water Reactive		Class 3 – Any Amount <input type="checkbox"/>	Class 3 – Any Amount <input type="checkbox"/>
		Class 2 – 5 gallons <input type="checkbox"/>	Class 2 – 50 pounds <input type="checkbox"/>
		Class 1 – 55 gallons <input type="checkbox"/>	Class 1 – 500 pounds <input type="checkbox"/>

I affirm the information given on this form to be correct to the best of my knowledge and understand that intentional misrepresentation may be subject to additional fees, fines or possible revocation of business license.

Application Signature: _____

Date: _____